



检 测 报 告

TEST REPORT

报 告 编 号: Report No.	RB2005-235006
签 发 日 期: Date of Issue	2023-05-04
送 样 单 位: Submitting Facility	上海南方模式生物科技股份有限公司 Shanghai Model Organisms Center, Inc.
委 托 单 位: Requesting Facility	上海南方模式生物科技股份有限公司 Shanghai Model Organisms Center, Inc.
委 托 单 位 地 址: Requesting Facility Address	上海市浦东新区半夏路 178 号 2 幢 3 层 Floor 3, Building 2, 178 Banxia Road, Pudong New Area, Shanghai, China.

苏州西山生物技术有限公司
SUZHOU XISHAN BIOTECHNOLOGY INC. (VRL ASIA)

声 明

STATEMENT

1. 本检测全部在本公司实验室完成。
All the tests were performed in this laboratory.
2. 本报告仅对客户所送检样本有效，不能完全反映动物健康状况。
Test results shown in this report only reflect the status of the specimens at the time received by our lab, and not guarantee or imply the health status of the animals.
3. 本检测报告一式两份，未加盖本公司印章和批准人签名则无效。
Each testing report is in duplicate. It is invalid without an official stamp and authorized signatures.
4. 本报告由 VRL 实验室系统形成，其真伪性可致电苏州西山生物技术有限公司(VRL-Asia) 查询。
Our reports were generated by VRL lab information system. The Authenticity of the report can be verified by phonecall or e-mail to VRL Asia.
5. 对此检测报告有任何争议，请在 30 天内与我们联系。
If you have any dispute to this testing report, please contact us within 30 days.
6. 未经本公司书面许可，委托方不得部分复制本报告、不得擅自使用此检测结果进行不当宣传。
Without our written permission, This report cannot be partly copied, and the test requesting facilities should not use our testing results for improper propaganda.
7. 若此报告被误发到贵处，请及时致电 0512 6298 5955 或发邮件到 vrchina@vrl.net 通知我们。
If you have received this report by mistake, please call us at: 0512 6298 5955(China) or E-mail us at vrchina@vrl.net.
8. 本检测报告中所涉及的检品名称、种属/品系、动物等级、样本号的信息均为委托方提供，本公司不负责调查确认这些信息的真实性。
The information of samples in this test report, including "Specimen Name", "Species/Strain", "Animal Grade" and "Specimen I.D.", was provided by the test requesting facilities. Our company is not responsible to investigate or confirm the authenticity of these information."
9. 联络方式：苏州工业园区东长路 18 号中节能产业园 35 幢 215123
18 Dongchang Road, Building 35, SIP, Suzhou city, China
Tel: 0512-6298 6955 / 6298 1611 Fax: 0512-6298 5677.
10. 根据《检验检测机构资质认定管理办法》规则：报告中的数据结果供科研、教学、企业内部质量控制、企业产品研发等目的使用。
According to the rules of «Administrative Measure for the Qualification Accreditation of Inspection and Testing Institutions»: The data results in this report are used for the purpose of scientific research, teaching, corporate internal quality control, enterprise's product research and development, etc.

检测汇总

SUMMARY

检品名称: Specimen Name	小鼠 Mouse	动物等级: Animal Grade	SPF
样本数量: Specimen Number	2	种属/品系: Species/Strain	ICR
样本状态: Specimen Status	精神状态良好, 姿势和步态无明显异常, 被毛整齐且无外伤, 天然孔颜色正常且无异常分泌物, 解剖无明显异常 Good mental state; No obvious abnormality of posture and gait; Neat hair and no injury; Natural orifices with normal colour and without abnormal secretion; No obvious abnormality in anatomy.		

检测项目 TEST ITEMS	检测依据 TEST STANDARD	方法 METHOD	阳性 POS	可疑 IND	阴性 NEG
鼠痘病毒抗体 Ectromelia Virus(Ect) Ab	GB/T 14926.20-2001	酶联免疫吸附试验 ELISA	0	0	2
小鼠肝炎病毒抗体 Mouse Hepatitis Virus(MHV) Ab	GB/T 14926.22-2001	酶联免疫吸附试验 ELISA	0	0	2
仙台病毒抗体 Sendai Virus(SV) Ab	GB/T 14926.23-2001	酶联免疫吸附试验 ELISA	0	0	2
小鼠肺炎病毒抗体 Pneumonia Virus of Mouse(PVM) Ab	GB/T 14926.24-2001	酶联免疫吸附试验 ELISA	0	0	2
呼肠孤病毒III型抗体 Reovirus type 3(Reo-3) Ab	GB/T 14926.25-2001	酶联免疫吸附试验 ELISA	0	0	2
小鼠细小病毒抗体 Minute Virus of Mice(MVM) Ab	GB/T 14926.28-2001	酶联免疫吸附试验 ELISA	0	0	2
支原体抗体 Mycoplasma spp. Ab	GB/T 14926.8-2001	酶联免疫吸附试验 ELISA	0	0	2
泰泽病原体抗体 Clostridium piliforme Ab	GB/T 14926.10-2008	酶联免疫吸附试验 ELISA	0	0	2
弓形虫抗体 Toxoplasma gondii(T. gondii) Ab	GB/T 18448.2-2008	酶联免疫吸附试验 ELISA	0	0	2
沙门菌 Salmonella spp.	GB/T 14926.1-2001	培养 Culture	0	0	2
鼠棒状杆菌 Corynebacterium kutscheri	GB/T 14926.9-2001	培养 Culture	0	0	2
金黄色葡萄球菌 Staphylococcus aureus	GB/T 14926.14-2001	培养 Culture	0	0	2

检测项目 TEST ITEMS	检测依据 TEST STANDARD	方法 METHOD	阳性 POS	可疑 IND	阴性 NEG
绿脓杆菌 Pseudomonas aeruginosa	GB/T 14926.17-2001	培养 Culture	0	0	2
嗜肺巴斯德杆菌 Pasteurella pneumotropica	GB/T 14926.12-2001	培养 Culture	0	0	2
肺炎克雷伯杆菌 Klebsiella pneumoniae	GB/T 14926.13-2001	培养 Culture	0	0	2
体外寄生虫 Ectoparasites	GB/T 18448.1-2001	镜检 Microscopy	0	0	2
蠕虫 Helminths	GB/T 18448.6-2001	镜检 Microscopy	0	0	2
鞭毛虫 Flagellates	GB/T 18448.10-2001	镜检 Microscopy	0	0	2
纤毛虫 Ciliates	GB/T 18448.10-2001	镜检 Microscopy	0	0	2
*螺杆菌 Helicobacter spp.	SOP 01-04-036B0	聚合酶链式反应 PCR	0	0	2
小鼠诺如病毒抗体 Murine norovirus antibody	T/CALAS 22-2017 5	酶联免疫吸附试验 ELISA	0	0	2
*乳鼠流行性腹泻病毒抗体 Epizootic diarrhea of infant mice antibody	SOP 01-02-015D0	酶联免疫吸附试验 ELISA	0	0	2

签发人

Issued by:

王晨娟

日期

Date:

2023-05-04

检测结果

RESULTS

VRL编号 Accession No	样本号 Specimen I.D.	鼠痘病毒抗体 ECT Ab	小鼠肝炎病毒抗体 MHV Ab	仙台病毒抗体 SV Ab	小鼠肺炎病毒抗体 PVM Ab
23062418	M-5	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative
23062419	M-6	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative

VRL编号 Accession No	样本号 Specimen I.D.	呼肠孤病毒3型抗体 Reo-3 Ab	小鼠细小病毒抗体 MVM Ab	支原体抗体 Mycoplasma spp. Ab	泰泽病原体抗体 Clostridium piliforme Ab
23062418	M-5	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative
23062419	M-6	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative

VRL编号 Accession No	样本号 Specimen I.D.	弓形虫抗体 T. gondii Ab	沙门菌 Salmonella spp.	鼠棒状杆菌 Corynebacterium kutscheri	金黄色葡萄球菌 Staphylococcus aureus
23062418	M-5	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative
23062419	M-6	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative

VRL编号 Accession No	样本号 Specimen I.D.	绿脓杆菌 Pseudomonas aeruginosa	嗜肺巴斯德杆菌 Pasteurella pneumotropica	肺炎克雷伯杆菌 Klebsiella pneumoniae	体外寄生虫 Ectoparasites
23062418	M-5	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative
23062419	M-6	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative

VRL编号 Accession No	样本号 Specimen I.D.	蠕虫 Helminths	鞭毛虫 Flagellates	纤毛虫 Ciliates	*螺杆菌 Helicobacter spp.
23062418	M-5	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative
23062419	M-6	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative

VRL编号 Accession No	样本号 Specimen I.D.	小鼠诺如病毒抗体 MNV Ab	*乳鼠流行性腹泻 病毒抗体 EDIM Ab
23062418	M-5	阴性 Negative	阴性 Negative
23062419	M-6	阴性 Negative	阴性 Negative

**** 报告结束 END OF REPORT ****

备注：“*”表示此检测项目不在我司CNAS认可范围之内。

Note: "*" means that this test item is not within the scope of our CNAS approval.