



中国认可
国际互认
检测
TESTING
CNAS L5399

检 测 报 告

TEST REPORT

报 告 编 号:

RB6675-237088

Report No.

签 发 日 期:

2023-12-18

Date of Issue

送 样 单 位:

上海南方模式生物科技股份有限公司
Shanghai Model Organisms Center, Inc.

Submitting Facility

委 托 单 位:

上海南方模式生物科技股份有限公司
Shanghai Model Organisms Center, Inc.

Requesting Facility

委 托 单 位 地 址:

上海市浦东新区金科路3577号
No. 3577, Jinke Road, Pudong New Area, Shanghai

Requesting Facility Address

苏州西山生物技术有限公司

SUZHOU XISHAN BIOTECHNOLOGY INC. (VRL ASIA)

声 明

STATEMENT

1. 本检测全部在本公司实验室完成。
All the tests were performed in this laboratory.
2. 本报告仅对客户所送检样本有效，不能完全反映动物健康状况。
Test results shown in this report only reflect the status of the specimens at the time received by our lab, and not guarantee or imply the health status of the animals.
3. 本检测报告一式两份，未加盖本公司印章和批准人签名则无效。
Each testing report is in duplicate. It is invalid without an official stamp and authorized signatures.
4. 本报告由 VRL 实验室系统形成，其真伪性可致电苏州西山生物技术有限公司(VRL-Asia) 查询。
Our reports were generated by VRL lab information system. The Authenticity of the report can be verified by phonecall or e-mail to VRL Asia.
5. 对此检测报告有任何争议，请在 30 天内与我们联系。
If you have any dispute to this testing report, please contact us within 30 days.
6. 未经本公司书面许可，委托方不得部分复制本报告、不得擅自使用此检测结果进行不当宣传。
Without our written permission, This report cannot be partly copied, and the test requesting facilities should not use our testing results for improper propaganda.
7. 若此报告被误发到贵处，请及时致电 0512 6298 5955 或发邮件到 vrchina@vrl.net 通知我们。
If you have received this report by mistake, please call us at: 0512 6298 5955(China) or E-mail us at vrchina@vrl.net.
8. 本检测报告中所涉及的检品名称、种属/品系、动物等级、样本号的信息均为委托方提供，本公司不负责调查确认这些信息的真实性。
The information of samples in this test report, including "Specimen Name", "Species/Strain", "Animal Grade" and "Specimen I.D.", was provided by the test requesting facilities. Our company is not responsible to investigate or confirm the authenticity of these information."
9. 联络方式：苏州工业园区东长路18号中节能产业园35幢 215126
18 Dongchang Road, Building 35, SIP, Suzhou city, China
Tel: 0512-6298 6955 / 6298 1611 Fax: 0512-6298 5677.
10. 根据《检验检测机构资质认定管理办法》规则：报告中的数据结果供科研、教学、企业内部质量控制、企业产品研发等目的使用。
According to the rules of 《Administrative Measure for the Qualification Accreditation of Inspection and Testing Institutions》: The data results in this report are used for the purpose of scientific research, teaching, corporate internal quality control, enterprise's product research and development, etc.

检测汇总

SUMMARY

检品名称: Specimen Name	大鼠 Rat	动物等级: Animal Grade	SPF
样本数量: Specimen Number	1	种属/品系: Species/Strain	SD
样本状态: Specimen Status	精神状态良好, 姿势和步态无明显异常, 被毛整齐且无外伤, 天然孔颜色正常且无异常分泌物, 解剖无明显异常 Good mental state; No obvious abnormality of posture and gait; Neat hair and no injury; Natural orifices with normal colour and without abnormal secretion; No obvious abnormality in anatomy.		

检测项目 TEST ITEMS	检测依据 TEST STANDARD	方法 METHOD	阳性 POS	可疑 IND	阴性 NEG
大鼠冠状病毒/延泪腺炎病毒抗体 Rat Coronavirus/Sialodacryoadenitis Virus(RCV/SDAV) Ab	GB/T 14926.32-2001	酶联免疫吸附试验 ELISA	0	0	1
汉坦病毒抗体 Hantavirus Ab	GB/T 14926.19-2001	酶联免疫吸附试验 ELISA	0	0	1
仙台病毒抗体 Sendai Virus(SV) Ab	GB/T 14926.23-2001	酶联免疫吸附试验 ELISA	0	0	1
小鼠肺炎病毒抗体 Pneumonia Virus of Mouse(PVM) Ab	GB/T 14926.24-2001	酶联免疫吸附试验 ELISA	0	0	1
呼肠孤病毒III型抗体 Reovirus type 3(Reo-3) Ab	GB/T 14926.25-2001	酶联免疫吸附试验 ELISA	0	0	1
大鼠细小病毒KRV株抗体 Kilhan Rat Virus(KRV) Ab	GB/T 14926.31-2001	酶联免疫吸附试验 ELISA	0	0	1
大鼠细小病毒H-1株抗体 Toolan's H-1 Virus(H-1) Ab	GB/T 14926.31-2001	酶联免疫吸附试验 ELISA	0	0	1
支原体抗体 Mycoplasma spp. Ab	SOP 01-04-118A0	聚合酶链式反应 PCR	0	0	1
泰泽病原体抗体 Clostridium piliforme Ab	SOP 01-04-118A0	聚合酶链式反应 PCR	0	0	1
弓形虫抗体 Toxoplasma gondii(T. gondii) Ab	GB/T 18448.2-2008	酶联免疫吸附试验 ELISA	0	0	1
沙门菌 Salmonella spp.	GB/T 14926.1-2001	培养 Culture	0	0	1
鼠棒状杆菌 Corynebacterium kutscheri	GB/T 14926.9-2001	培养 Culture	0	0	1

检测项目 TEST ITEMS	检测依据 TEST STANDARD	方法 METHOD	阳性 POS	可疑 IND	阴性 NEG
纤毛虫 Ciliates	GB/T 18448.10-2001	镜检 Microscopy	0	0	1
支气管鲍特杆菌 Bordetella bronchiseptica	GB/T 14926.6-2001	培养 Culture	0	0	1
绿脓杆菌 Pseudomonas aeruginosa	GB/T 14926.17-2001	培养 Culture	0	0	1
嗜肺巴斯德杆菌 Pasteurella pneumotropica	GB/T 14926.12-2001	培养 Culture	0	0	1
肺炎克雷伯杆菌 Klebsiella pneumoniae	GB/T 14926.13-2001	培养 Culture	0	0	1
体外寄生虫 Ectoparasites	GB/T 18448.1-2001	镜检 Microscopy	0	0	1
蠕虫 Helminths	GB/T 18448.6-2001	镜检 Microscopy	0	0	1
鞭毛虫 Flagellates	GB/T 18448.10-2001	镜检 Microscopy	0	0	1

签发人
Issued by: 王晨娟

日期
Date: 2023-12-18

检测结果

RESULTS

VRL编号 Accession No	样本号 Specimen I.D.	大鼠冠状病毒/延泪腺炎病毒抗体 RCV/SDAV Ab	汉坦病毒抗体 Hantavirus Ab	仙台病毒抗体 SV Ab	小鼠肺炎病毒抗体 PVM Ab
23168276	SD-1	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative
VRL编号 Accession No	样本号 Specimen I.D.	呼肠孤病毒3型抗体 Reo-3 Ab	大鼠细小病毒RV株抗体 KRV Ab	大鼠细小病毒H-1株抗体 H-1 Ab	支原体抗体 Mycoplasma spp. Ab
23168276	SD-1	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative
VRL编号 Accession No	样本号 Specimen I.D.	泰泽病原体抗体 Clostridium piliforme Ab	弓形虫抗体 T. gondii Ab	沙门菌 Salmonella spp.	鼠棒状杆菌 Corynebacterium kutscheri
23168276	SD-1	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative
VRL编号 Accession No	样本号 Specimen I.D.	纤毛虫 Ciliates	支气管鲍特杆菌 Bordetella bronchiseptica	绿脓杆菌 Pseudomonas aeruginosa	嗜肺巴斯德杆菌 Pasteurella pneumotropica
23168276	SD-1	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative
VRL编号 Accession No	样本号 Specimen I.D.	肺炎克雷伯杆菌 Klebsiella pneumoniae	体外寄生虫 Ectoparasites	蠕虫 Helminths	鞭毛虫 Flagellates
23168276	SD-1	阴性 Negative	阴性 Negative	阴性 Negative	阴性 Negative

**** 报告结束 END OF REPORT ****